Outdoor Cabin Sauna with a Glassfront

Product specifications:

- Dimensions: 4000mm (length) x 2440mm (width) x 2610mm (height).
- Construction wood: Finnish spruce, quality class AB.
- Roof: Black bitumen shingles.
- Exterior finish: Impregnated in “Palisander” color, ensuring long-term resistance to weather conditions.
- Modern rectangular outdoor lamp with an IP54 protection rating.

Sauna’s information:

- Length: 2000mm.
- The entrance door is made of 6 mm tempered glass, non-locking, with adjustable hinges.
- Interior paneling - 16mm thick hardwood board, quality class AB.
- Two-level benches (with retractable lower bench), L-shaped, made from hardwood for optimal comfort. With backrests.
- Hermetically sealed LED strip installed beneath benches and backrests, with an IP67 protection rating, powered by a Mean Well 60W 12V IP6 power supply.
- Panoramic window, made of 8mm tempered glass.
- Ventilation diffuser for proper fresh air flow.
- Two water drainage holes for easy sauna maintenance.
- “Harvia M3” wood-burning stove or “Harvia Cilindro PC90” 9kW electric heater.

Changing room information:

- Length: 1846mm.
- Entrance door with two windows, made of 6 mm tempered glass. Locking, with adjustable hinges.
- Panoramic window, made of 8mm tempered glass.
- One single-height bench, made from hardwood for optimal comfort.
- Hermetically sealed LED strip mounted in a wooden frame and an LED light around the door frame, with an IP67 protection rating, powered by a Mean Well 60W 12V IP6 power supply.
- Ventilation diffuser for proper fresh air flow.

ADDITIONAL INFORMATION

The following pages add current TimberIN information (data as of 11/2026) to the original technical sheet on the previous pages. If a detail differs, please ask us; the approved order drawing applies.

In this section

TimberIN Nordic Horizon™ – technical sheet 3

Safety distances, wood heaters 4

TimberIN

TimberIN Nordic Horizon™ – technical sheet

A 4 m garden sauna with a full panoramic glass front and a permanent changing room: a 2,000 mm sauna room for 4–6 people and a 1,846 mm changing room. Two-level L-shaped hardwood benches, LED lighting, ventilation in both rooms and one Harvia wood-burning or electric heater are included. Made in rosewood-treated spruce or in Thermowood; complete insulation with decorative panelling is optional. Delivered factory-assembled.

4,000 × 2,440 × 2,610 mm · sauna room 2,000 mm + changing room 1,846 mm · 4–6 people · spruce or Thermowood · one Harvia heater included

Technical data

Size	One size: 4,000 × 2,440 × 2,610 mm outside (length × width × height)
Rooms	Sauna room about 2,000 mm long for 4–6 people; changing room about 1,846 mm long; fixed plan
Panoramic glazing	8 mm tempered panoramic glass on the front of both rooms
Doors	Lockable entrance door to the changing room and a door between changing room and sauna, both 6 mm tempered glass
Wood	Spruce: Finnish AB-grade spruce with a rosewood (palisander) exterior treatment, the version shown in the photos · Thermowood: heat-treated timber
Roof	Rounded roof edges, black bitumen shingles
Sauna room	16 mm AB-grade hardwood lining; two-level L-shaped benches, retractable lower bench and backrests; bench levels on the factory plan 850, 500 and 425 mm
Changing room	Hardwood bench
Lighting	IP67 LED strips under the benches, behind the backrests and in the changing room; IP54 exterior light; Mean Well 60 W 12 V power supply
Ventilation and drains	One ventilation diffuser in each room; two floor drains in the sauna room
Insulation	Optional: complete thermal insulation with decorative wood panelling
Supports	12 support points on a 2,900 × 2,070 mm grid (diagonal about 3,438 mm); the grid is smaller than the outside footprint
Included	Cabin with both rooms, doors, glazing, lining, benches, LED and exterior lights, ventilation, drains, black shingle roof and one Harvia heater (choose below)

Harvia heaters – choose one

Heater	Type	Output	
Harvia M3 + chimney	Wood, loaded inside	16.5 kW	**Included**
Harvia M3 SL + chimney	Wood, loaded from outside	16.5 kW	Upgrade
Harvia 20 PRO + chimney	Wood, loaded inside	24.1 kW	Upgrade
Harvia 20 SL + chimney	Wood, loaded from outside	24.1 kW	Upgrade
Harvia Cilindro PC90	Electric, integrated control unit	9 kW	**Included**
Harvia Cilindro PC90XW WiFi Steel	Electric, Wi-Fi control	9 kW	Upgrade
Harvia Legend PO110FC WiFi, black	Electric, Wi-Fi control	10.8 kW	Upgrade

One heater is included in the price: the M3 with chimney or the Cilindro PC90. The Horizon sauna room is about 2,000 mm long. As a guide, the M3 / M3 SL (2–4 m sauna rooms) and the PC90 / PC90XW (2–3 m) are sized for it; the 20 PRO / 20 SL are rated for 4–5 m sauna rooms; size the Legend from the final hot-room volume.

Electric supply: PC90 / PC90XW 400 V 3 × 16 A, cable 5 × 2.5 mm²; PC90 also 230 V 1 × 40 A; Legend PO110FC 400 V. A qualified electrician designs the supply, cable and protection from the heater manual.

Safety distances, wood heaters


Harvia M3 / M3 SL	Sides 250 mm · behind 300 mm (can be reduced with a cetris panel behind the heater) · in front about 300 mm
Harvia 20 PRO / 20 SL	Sides 300 mm · behind 300 mm (can be reduced with a cetris panel behind the heater) · in front about 300 mm
Floor	The floor area under the heater is covered with a cetris panel
Chimney	Non-insulated chimney: at least 500 mm from flammable materials (less if they are covered with a cetris panel). Insulated chimney: at least 100 mm of insulation between roof and chimney; the insulation extends at least 430 mm below the roof
Electric heaters	Follow the Harvia manual of the chosen heater

Delivery

Factory-assembled. Delivered fully built, with the glazing fitted. Transport size without chimney about 4,000 × 2,440 × 2,610 mm (length × width × height). Unloading machinery (crane or forklift) is required on site.

Delivery is quoted separately. Check gates, turns, ground capacity and overhead clearance on the route to the base.

Delivery drawing



Front elevation and plan, schematic. Dimensions in mm, approximate; the approved order plan applies.